





蔣夫人在京特電致賀

美聯電：國  
尼赫魯，於  
馬太（印度基督教）  
財政部長  
尼赫魯之隨  
長蘇拉瓦底

完成統一  
加緊建設

賴我中央及各地同

恢復王位有望

由巴黎飛往倫敦，正驗。

菲運輸機定昨

之會議席上締結，該協爲正式協

（濟南二日中央社）

在上海降碑兩次。中

政府决召開國

餘，今後籌備工作自當更加迅速行

之賠償要求，乃限于直接之損失，在意和約政治

Figure 1. Schematic representation of the experimental design. The subjects were divided into two groups: the control group (n = 10) and the experimental group (n = 10). The control group received a placebo (P) and the experimental group received a 10% solution of the active ingredient (A). The subjects were then divided into two subgroups: the control subgroup (n = 5) and the experimental subgroup (n = 5). The control subgroup received a placebo (P) and the experimental subgroup received a 10% solution of the active ingredient (A). The subjects were then divided into two subgroups: the control subgroup (n = 5) and the experimental subgroup (n = 5). The control subgroup received a placebo (P) and the experimental subgroup received a 10% solution of the active ingredient (A).

倫敦一日合衆電：英工黨議員克羅斯

又謂祇有美蘇二國能經歷原子戰爭。

是一回事，但，最低限度

銳化了。兩軍衝突多把希望寄託在美國或

對一件事如果沒有存

，六月初奇卓兄爲了店務回

的設施罷，日皇是日本

爲成功在握，歸口業。爲它籌劃糧食，

兄到昭南島後就

家  
[不]  
[和]  
[工]

秘製（立止遺滑精固腎丸）服參  
久病之軀腎虛已極精神不足記憶力

嗽。花柳骨痛。真假癰瘋。白濁血毒。

女醫師曹佩莊專醫月信停來

Figure 1. Schematic representation of the experimental design. The subjects were divided into two groups: a control group and an experimental group. The control group received a standard diet, while the experimental group received a diet supplemented with 10% of the total energy from fat. The subjects were then divided into two subgroups: a control subgroup and an experimental subgroup. The control subgroup received a standard diet, while the experimental subgroup received a diet supplemented with 10% of the total energy from fat. The subjects were then divided into two subgroups: a control subgroup and an experimental subgroup. The control subgroup received a standard diet, while the experimental subgroup received a diet supplemented with 10% of the total energy from fat.







